

TRIJICON ACCUPOWER®

OVERVIEW

The Trijicon AccuPower is a versatile, variable powered riflescope with an electronic illuminated reticle. Featuring a high quality lens system with full multi-layer coatings, the AccuPower provides an incredibly clear sight picture. The reticle illumination is powered by a single CR2032 lithium battery and has an easy-to-operate brightness adjustment dial with eleven brightness settings and an "off" feature between each setting.

MODELS



1-4x24



2.5-10x56



3-9x40



4-16x50

➤ **ILLUMINATED RETICLE**

Powered by a CR2032 battery.

➤ **ADJUSTABLE BRIGHTNESS SETTINGS**

Eleven brightness settings with an "Off" feature between each brightness setting.

➤ **AIRCRAFT-GRADE ALUMINUM HOUSING**

All-weather rugged construction protects against the toughest elements.

➤ **SUPERIOR QUALITY LENSES**

Multi-coated lenses provide superior clarity and light gathering capabilities with zero distortion.

➤ **SECOND FOCAL PLANE RETICLE**

Reticle size remains constant as magnification increases which provides a more exact aiming point at higher magnifications.

➤ **EASY-FOCUS EYEPIECE**

➤ **EASY-TO-SET/RESET ADJUSTERS**

➤ **WATERPROOF TO 10 FT. (3M)**
Dry-nitrogen filled to eliminate fogging.

➤ **LIMITED LIFETIME WARRANTY**

Electronics warranted for 5 years from date of original manufacture.

The adjustable brightness settings on the AccuPower make it a great solution for any lighting condition. The user can adjust the reticle illumination to suit their situation and ensure the most accurate shot.



SETTING ADJUSTERS TO ZERO

➤ **EASY-TO-SET ADJUSTERS**

By resetting the adjusters to "zero" after sighting in, it allows you to 'dial-in' windage and elevation changes for each shot, while providing an easy-to-remember number, to return the adjusters to after shooting.



> SPECIFICATIONS

	1-4x24	3-9x40
MAGNIFICATION	1 – 4x	3 – 9x
OBJECTIVE LENS	24mm	40mm
FOCAL PLANE	Second	Second
EYE RELIEF	3.5 in. Constant 88mm Constant	3.7 – 3.5 in. 93 – 90mm
EXIT PUPIL	0.60 – 0.20 in. 15.0 – 5.0mm	0.52 – 0.17 in. 13.3 – 4.4mm
FIELD OF VIEW (DEGREES)	18.0° – 4.6°	6.8° – 2.3°
FIELD OF VIEW	97.5 – 24.2 ft. @ 100 yds. 32.5 – 8.1m @ 100m	35.5 – 11.8 ft. @ 100 yds. 11.8 – 3.9m @ 100m
ADJUSTMENTS	1/4 MOA per click 0.1 MIL per click	1/4 MOA per click 0.1 MIL per click
ADJUSTMENT RANGE (ELEVATION AND WINDAGE)	100 MOA Total Travel 29.6 MIL Total Travel	60 MOA Total Travel 17.8 MIL Total Travel
PARALLAX ADJUSTMENT RANGE	N/A	N/A
DIMENSIONS (L x W x H)	10.2 x 2.6 x 2.2 in. 260 x 66 x 56mm	12.3 x 2.5 x 2.2 in. 312 x 64 x 56mm
WEIGHT	16.2 oz. 459.0g	17.0 oz. 483.0g
TUBE DIAMETER	30mm	1 in.
BATTERY LIFE	> 31 hours at max brightness	> 31 hours at max brightness

	2.5-10x56	4-16x50
	2.5 – 10x	4 – 16x
	56mm	50mm
	Second	Second
	4.0 in. Constant 102mm	3.6 – 3.7 in. 92 – 93mm
	0.65 – 0.22 in. 16.5 – 5.6mm	0.37 – 0.12 in. 9.3 – 3.1mm
	7.2° – 1.9°	4.9° – 1.2°
	37.9 – 10.2 ft. @ 100 yds. 12.6 – 3.4m @ 100m	25.8 – 6.4 ft. @ 100 yds. 8.6 – 2.1m @ 100m
	1/4 MOA per click 0.1 MIL per click	1/4 MOA per click 0.1 MIL per click
	60 MOA Total Travel 17.8 MIL Total Travel	80 MOA Total Travel 23.7 MIL Total Travel
	N/A	10 yds. to Infinity
	13.8 x 2.6 x 2.6 in. 351 x 66 x 66mm	14.2 x 2.5 x 2.5 in. 360 x 63.5 x 63.5mm
	23.6 oz. 669.0g	23.3 oz. 660.0g
	30mm	30mm
	> 31 hours at max brightness	> 31 hours at max brightness

> 1-4x24

30mm Riflescope with MOA Crosshair Reticle

Black: ■ RS24-C-1900000 ■ RS24-C-1900001

30mm Riflescope with MIL-Square Crosshair Reticle


Black: ■ RS24-C-1900002 ■ RS24-C-1900003

30mm Riflescope with Duplex Crosshair Reticle


Black: ■ RS24-C-1900004 ■ RS24-C-1900005

30mm Riflescope with .223/55gr BDC Segmented-Circle / Dot Crosshair


Black: ■ RS24-C-1900006 ■ RS24-C-1900007




MOA Crosshair



MIL-Square Crosshair



Duplex



Segmented-Circle/Dot

> 3-9x40

1 in. Riflescope with MOA Crosshair Reticle


Black: ■ RS20-C-1900008 ■ RS20-C-1900009

1 in. Riflescope with MIL-Square Crosshair Reticle


Black: ■ RS20-C-1900010 ■ RS20-C-1900011

1 in. Riflescope with Duplex Crosshair Reticle


Black: ■ RS20-C-1900012 ■ RS20-C-1900013



MOA Crosshair



MIL-Square Crosshair



Duplex

> 2.5-10x56

30mm Riflescope with MOA Crosshair Reticle


Black: ■ RS22-C-1900014 ■ RS22-C-1900015

30mm Riflescope with MIL-Square Crosshair Reticle


Black: ■ RS22-C-1900016 ■ RS22-C-1900017

30mm Riflescope with Duplex Crosshair Reticle


Black: ■ RS22-C-1900018 ■ RS22-C-1900019



MOA Crosshair



MIL-Square Crosshair



Duplex

> 4-16x50

30mm Riflescope with MOA Crosshair Reticle


Black: ■ RS29-C-1900020 ■ RS29-C-1900021

30mm Riflescope with MIL-Square Crosshair Reticle


Black: ■ RS29-C-1900022 ■ RS29-C-1900023

30mm Riflescope with Duplex Crosshair Reticle


Black: ■ RS29-C-1900024 ■ RS29-C-1900025



MOA Crosshair



MIL-Square Crosshair



Duplex