




TRIJICON® ARCHERY

THE POWER OF TRITIUM

Bow hunters aren't your average hunters. And these aren't your average, run-of-the-mill bow sights. These are battery-free, technological marvels that help serious hunters own the fields from dawn to dusk, thanks to a tritium-phosphor lamp and superior fiber optics that give you quick target acquisition in low-light conditions. It's what bow hunters deserve.



ACCUPIN®/ACCUDIAL™ COMBO



ACOG® XB

The Trijicon AccuPin™ and its combination of fiber optic and tritium are Pope & Young® legal.

TRIJICON ACCUPIN®

FEATURES

TRIANGULAR AIMING POINT AND CLEAR PIN

Precision aiming point with unobstructed view of target.

HIGH-IMPACT SHADE SHIELD

High-visibility aiming circle for optimal aiming-point acquisition and protection.

FIELD-REPLACEABLE PIN

Finger-tighten design makes replacement quick and easy.

FULLY HOUSED SIGHT LEVEL

Helps line up the perfect shot.

TRITIUM-PHOSPHOR LAMP & FIBER OPTICS

Provide illumination for any light condition without batteries.

AIRCRAFT-GRADE 6061-T6 ALUMINUM

Made in the USA and so tough, it's guaranteed for life.

ACCUDIAL™

Large, laser-etched dial precisely locks in yardage without the tape.

LIMITED LIFETIME WARRANTY

Tritium lamp is warranted to illuminate for 12 years from date of original manufacture.

This unique pin design is more robust than ordinary bow sights, but on the off chance something happens, the fiber optic pin is easily replaced out in the field with a simple finger twist of the pin fastener nut.



SPECIFICATIONS

ACCUPIN®	
MAGNIFICATION	1x
APERTURE	Single Pin
RIGHT/LEFT HAND	Ambidextrous
ILLUMINATION SOURCE	Fiber Optics & Tritium
PIN STYLE	Triangle
SIGHT WINDOW	1.77 in. 45mm
DIMENSIONS (L X W X H)	1.5 x 2.1 x 2.5 in. 38 x 53 x 64mm
WEIGHT	Dovetail Base: 2.29 oz. (65g) Rail Grabber Base: 2.47 oz. (70g)
MOUNT OPTIONS	<ul style="list-style-type: none"> - Dovetail base that mounts to an L-bracket which will attach to the Trijicon AccuDial or other adjustable mounts. - Rail grabber-style mount base attaches to adjustable mounts equipped with a Weaver® or MIL-STD-1913 (Picatinny) rail, including the Trijicon AccuDial adjustable mount and rail adapter.

ACCUDIAL™	
RIGHT/LEFT HAND	Available in Both Configurations
BOW SPEED	245 – 335 ft./sec. 74.7 – 102.1m/s
TARGET RANGE	0 – 80+ yds. 0 – 73.2m
ADJUSTMENT INCREMENTS	1 yd. .91m
DIMENSIONS (L X W X H)	6.0 x 3.7 x 2.8 in. 152 x 94 x 71mm
WEIGHT	8.0 oz. 226.8g
SIGHTS IT ACCEPTS	<ul style="list-style-type: none"> - Trijicon AccuPin Sight - Side-mounted apertures/scope which utilize #10-32 studs - Sights with Weaver® or MIL-STD-1913 Picatinny bases (requires rail adapter)

ACCUPIN®



Bow Sight with Dovetail Base

Black: ■ BW01G-BL

Bow Sight with Rail Grabber Base

Black: ■ BW02G-BL

ACCUDIAL™



Right-Hand Mount with Sight Bracket and Rail Adapter

Black: BW10-BL

Left-Hand Mount with Sight Bracket and Rail Adapter

Black: BW11-BL

COMBO



Right-Hand AccuPin Bow Sight with AccuDial Mount

Black: ■ BW50G-BL

Left-Hand AccuPin Bow Sight with AccuDial Mount

Black: ■ BW51G-BL

TRIJICON ACOG® XB

FEATURES

BOLT-DROP COMPENSATOR

Designed to be zeroed at 30 yards with stadia lines out to 80 yards in 5-yard increments.

TOTALLY BATTERY-FREE

Trijicon ACOG® XB delivers increased hit potential in all lighting conditions—without the use of batteries.

TRIJICON® FIBER OPTICS

Automatically adjusts the brightness level and contrast of the reticle to available light conditions.

TRITIUM-PHOSPHOR LAMP

Aiming reticle glows in low-light conditions for quick target acquisition. Lamp is guaranteed to illuminate for 15 years.

LIGHTWEIGHT RUGGEDNESS

Forged 7075-T6 aircraft-grade-aluminum housing provides extreme durability in a compact design and will withstand the shock pattern of all crossbows.

BROADBAND ANTI-REFLECTIVE COATED LENSES

Multi-coated lens provides superior clarity and light-gathering capabilities with zero distortion.

INTERNALLY ADJUSTABLE

Since only the prism housing moves, the Trijicon ACOG XB is much more rugged than conventional designs.

WATERPROOF TO 20 METERS (66 ft.)

Dry-nitrogen-filled to prevent fogging.

LIMITED LIFETIME WARRANTY

Tritium lamp is warranted to illuminate for 15 years from date of manufacture.

Instead of using batteries that tend to fail hunters when they need them most, the ACOG® XB utilizes fiber optics and tritium to offer target acquisition you can trust in low-light conditions.



SPECIFICATIONS

SYSTEM	3X24 XB
MAGNIFICATION	3x
OBJECTIVE LENS	24mm
EYE RELIEF	1.4 in. 35.6mm
EXIT PUPIL	0.32 in. 8.1mm
FIELD OF VIEW (DEGREES)	4.9°
FIELD OF VIEW	25.6 ft. @ 100 yds. 8.6m @ 100m
ADJUSTMENTS	7 Clicks Per in. @ 30 yds.
DIMENSIONS (L X W X H)	5.0 x 1.6 x 2.1 in. 127 x 42 x 53mm
WEIGHT	6.1 oz. 218.2g
ILLUMINATION SOURCE	Fiber Optics & Tritium
BOLT SPEED	TA50-C-400143 (XB1): 300 – 340 fps TA50-C-400144 (XB2): 340 – 400 fps TA50-C-400145 (XB3): 400 – 440+ fps Note: If your bolt speed borders between two models, choose the model with the lower speed.

3x24 XB



Dual-Illuminated Chevron, 300-340 fps Bolt Drop Compensation and Bad River Outdoors® Ranging System with Low Weaver Mount


Black: ■ TA50-C-400143

Dual-Illuminated Chevron, 340-400 fps Bolt Drop Compensation and Bad River Outdoors® Ranging System with Low Weaver Mount

Black: ■ TA50-C-400144

Dual-Illuminated Chevron, 400-440+ fps Bolt Drop Compensation and Bad River Outdoors® Ranging System with Low Weaver Mount

Black: ■ TA50-C-400145



Chevron