



TRIJICON
RMR[®]

AS RUGGED AS IT GETS

The Trijicon RMR[®] (Ruggedized Miniature Reflex) sight is the most rugged miniature red dot sight available. It is made from 7075-T6 aluminum to MIL-spec standards and has a patented shape designed to absorb impact and divert stress away from the lens, increasing durability. Available in LED, Adjustable LED, or Dual-Illuminated (fiber optic/tritium) versions, and with dot sizes ranging from 1 MOA to 13 MOA, you are sure to find what fits your needs. The RMR is a versatile sight that illuminates in any lighting condition.

MODELS



LED



Adjustable LED



Dual-Illuminated

FEATURES

UNIQUE PATENTED HOUSING SHAPE

Forged 7075-T6 aircraft-aluminum-alloy housing shape diverts the force of an impact away from the lens, greatly increasing the durability of the sight.

TRUE-COLOR, MULTI-COATED LENS

Creates a wide-band light transmission for minimal change in target area color.

ADJUSTABLE WINDAGE/ELEVATION

Easily adjustable without special tools. 1 MOA per click.

DUAL-ILLUMINATED RMR®

Tritium-phosphor lamp illuminates reticle in low-light conditions and fiber optics automatically adjust the brightness level and contrast to available light conditions.

LED RMR®

Automatically adjusts illuminated reticle to available light conditions. CR2032 lithium battery lasts 2 years of typical use, 5 years in dark storage.

VERSATILE SIGHT

Multiple primary applications including rifle, pistol, shotgun and carbine, or use as a secondary sight with a magnified optic.

PARALLAX FREE

WATERPROOF TO 20 METERS (66 ft.)

LIMITED LIFETIME WARRANTY

Tritium lamp is warranted to illuminate for 15 years from date of original manufacture (Dual-Illuminated RMR). Electronics are warranted for 5 years from date of original manufacture (LED & Adjustable LED RMR).



The small size and rugged design make the Trijicon RMR® adaptable to many weapon platforms, including pistols. Photo to the right shows the RMR milled into a Glock 17 slide with Trijicon Bright & Tough™ Suppressor Sights.



SPECIFICATIONS

SYSTEM	LED	ADJUSTABLE LED	DUAL-ILLUMINATED
MAGNIFICATION	1x	1x	1x
SIGHT WINDOW	.87 x .63 in. 22 x 16mm	.87 x .63 in. 22 x 16mm	.87 x .63 in. 22 x 16mm
LENS	Tempered Glass	Tempered Glass	Tempered Glass
ADJUSTMENTS	1 Click = 1 MOA	1 Click = 1 MOA	1 Click = 1 MOA
ADJUSTMENT RANGE (ELEVATION & WINDAGE)	150 MOA Total Travel	150 MOA Total Travel	150 MOA Total Travel
DIMENSIONS (L X W X H)	1.8 x 1.1 x 1.0 in. 46 x 28 x 25mm	1.8 x 1.2 x 1.0 in. 46 x 30 x 25mm	1.8 x 1.2 x 1.0 in. 46 x 30 x 25mm
WEIGHT	1.2 oz. (w/ battery) 34g	1.17 oz. (w/ battery) 33.2g	1.2 oz. 34g
ILLUMINATION SOURCE	LED Powered by a CR2032 Lithium Battery	LED Powered by a CR2032 Lithium Battery	Tritium & Fiber Optics
BATTERY LIFE	2 Years of Typical Use*, 5 Years in Dark Storage	4+ Years of Continuous Use* at Setting 4 of 8	N/A
BRIGHTNESS SETTINGS	Automatic	Automatic and 8 Adjustable Settings	N/A
AVAILABLE MOUNTING ADAPTERS	Picatinny Rail, Weaver Rail, ACOG Add-On, Riflescope Add- On, Pistol, Double Barrel Rifle	Picatinny Rail, Weaver Rail, ACOG Add-On, Riflescope Add- On, Pistol, Double Barrel Rifle	Picatinny Rail, Weaver Rail, ACOG Add-On, Riflescope Add- On, Pistol, Double Barrel Rifle

*When used at 70°F (21°C). Extreme temperatures (high or low) will affect lithium battery performance.

LED




ADJUSTABLE LED



3.25 MOA Dot


- Black: ■ RM01
- Sniper Gray: ■ RM01-C-700100
- OD Green: ■ RM01-C-700101
- FDE: ■ RM01-C-700102
- Nickel Boron: ■ RM01-C-700063



3.25 MOA Dot

6.5 MOA Dot


- Black: ■ RM02
- Sniper Gray: ■ RM02-C-700121
- OD Green: ■ RM02-C-700122
- FDE: ■ RM02-C-700123



6.5 MOA Dot

1.0 MOA Dot

- Black: ■ RM09-C-700304
- Sniper Gray: ■ RM09-C-700305
- OD Green: ■ RM09-C-700306
- FDE: ■ RM09-C-700307



1.0 MOA Dot

3.25 MOA Dot

- Black: ■ RM06
- Sniper Gray: ■ RM06-C-700214
- OD Green: ■ RM06-C-700215
- FDE: ■ RM06-C-700216



3.25 MOA Dot

6.5 MOA Dot





- Black: ■ RM07
- Sniper Gray: ■ RM07-C-700235
- OD Green: ■ RM07-C-700236
- FDE: ■ RM07-C-700237



6.5 MOA Dot

DUAL-ILLUMINATED



7.0 MOA Dot	Black: RM04		
	Sniper Gray: RM04-C-700163		7.0 MOA Dot
	OD Green: RM04-C-700164		
	FDE: RM04-C-700165		
	Nickel Boron: RM04-C-700064		
9.0 MOA Dot	Black: RM05	RM05G	
	Sniper Gray: RM05-C-700187	RM05-C-700208	9.0 MOA Dot
	OD Green: RM05-C-700188	RM05-C-700209	
	FDE: RM05-C-700189	RM05-C-700210	
	Nickel Boron: RM05-C-700065	RM05-C-700065	
13.0 MOA Dot	Black: RM03		
	Sniper Gray: RM03-C-700142		13.0 MOA Dot
	OD Green: RM03-C-700143		
	FDE: RM03-C-700144		
12.9 MOA Triangle	Black: RM08A	RM08G	
	Sniper Gray: RM08-C-700256	RM08-C-700280	12.9 MOA Triangle
	OD Green: RM08-C-700257	RM08-C-700281	
	FDE: RM08-C-700258	RM08-C-700282	
	Nickel Boron: RM08-C-700066	RM08-C-700066	

